Tata TGN-Pacific

35 Tai Seng Street #06-01 Singapore 534103 Singapore Tel. +65 6632 6700 Fax +65 6634 8570 http://www.tatacommunications.com

CONTACTS

Sawan Sachdeva, Associate Director—IPL and IP Transit Products sawan.sachdeva@tatacommunications.com

Grace Yeo, Analyst Relations Program Manager grace.yeo@tatacommunications.com

OWNERS

Tata Communications 100.0 %

COMMENTS

Tata TGN-Pacific has the highest potential capacity on the trans-Pacific route. Completed in December 2002, the system forms a self-healing ring connecting the U.S. to Japan. The cable currently operates at 2.12 Tbps on the northern leg and 2.35 Tbps on the southern leg after an upgrade using Ciena's 100 Gbps technology in early 2014.

READY FOR SERVICE (RFS) DATE

December 2002

CABLE LENGTH

22,300 km

CONSTRUCTION COST

USD 1,700,000,000

SERVICE OFFERINGS

Wavelengths

- 10 Gbps
- □ 40 Gbps
- □ 100 Gbps

SDH/SONET

- STM-1/OC-3
- STM-4/OC-12
- STM-16/OC-48
- STM-64/OC-192

Ethernet

Technology

- EoMPLS
- EoDWDM
- EoSDH

Bandwidth

- 100 Mbps
- 1 Gbps
- 10 Gbps
- □ 40 Gbps
- □ 100 Gbps

Other

- Fiber Pairs
- Spectrum

PURCHASE OPTIONS

Leases

- Leases (Less than 1 year)
- Leases (1-3 years)
- Leases (over 3 years)
- Convertible Leases

Indefeasible Rights of Use

■ IRUs

Backhaul

Included in the standard product

Colocation

Available in landing stations and nearest major cities

CABLE CAPACITY

TGN-Pacific North Leg

	it wavelengths per Fiber Pair	Gbps per Wavelength	Total Capacity (Gbps)
4	var.	10/40/100	2,120
8	25	100	20,000
	Lit Fiber Pairs	Pairs Fiber Pair 4 var.	Lit Fiber per Gbps per Pairs Fiber Pair Wavelength 4 var. 10/40/100

TGN-Pacific South Leg

	Lit Wavelengths			
	Lit Fiber Pairs	per Fiber Pair	Gbps per Wavelength	Total Capacity (Gbps)
2015	4	var.	10/40/100	2,350
Potential	8	23	100	18,400

TGN-Pacific Oregon-California


	Lit Wavelengths			
	Lit Fiber Pairs	per Fiber Pair	Gbps per Wavelength	Total Capacity (Gbps)
2015	1	18	10	180
Potential	4	61	100	24,400

TGN-Pacific Japan-Guam

	Lit Wavelengths			
	Lit Fiber Pairs	per Fiber Pair	Gbps per Wavelength	Total Capacity (Gbps)
2015	3	var.	10/40/100	670
Potential	4	50	100	20,000

Total Unprotected Capacity

	Total Capacity (Gbps)
2015	4,470
Max	38,400



LANDING POINTS

- Emi, JapanHillsboro, Oregon, United StatesLos Angeles, California, United States
- Piti, GuamToyohashi, Japan

The content on the preceding pages is a section from TeleGeography's Global Bandwidth Research Service

The work is based on sources believed to be reliable, but the publisher does not warrant the accuracy or completeness of any information for any purpose and is not responsible for any errors or omissions.

This work is for the confidential use of subscribers. Neither the whole nor any part of this publication may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopied, recorded or otherwise, without prior written consent from PriMetrica, Inc.

All rights reserved. © 2015 PriMetrica, Inc.

TeleGeography

A Division of PriMetrica, Inc.

Washington, D.C. / San Diego / Exeter

U.S. tel: +1 202 741 0020 / U.K. tel: +44 1392 315567.

www.telegeography.com